State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Freatment Plant JUN 3 0 2014

Form 3300-256 (R 7/05)

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information Prepare	ation d By (Name and Title)	Paul Roberts, President	Company Roberts I	rrigation		
Street Address 1500 Post Road, PO Box 490			City Plover			ZIP Code 54467
Telephone Number 715 344 4747			715 344 4505	E-Mail Address proberts(@callro	berts.com
Property Owners		V				
Property owner, if di Lee & Dave Ror		(Name of Person and Title)	Company			
Street Address 1197 21 st Ave	e		City Came	ron	State WI	ZIP Code 54822
Telephone Number 715 458 4157				E-Mail Address		•
Well Operator Inf	ormation		ll			
Well operator if diffe	rent than owner (Nam	e of Person and Title)	Company			
Street Address			City		State	ZIP Code
Telephone Number Fax Number			J	E-Mail Address		
Property Informa	tion			1		
Enter the High Capa property at the time or use the compact of	city Well File Number book application, enter "No disk of departmental we	elow if the property is already a ONE." NOTE: Find the file numb Il data that is issued to drillers a s follows: (1 or 2 digits for cour	per in upper rig and pump inst	ght hand corner of the most re allers. On the compact disk, s	ecent hig ee "File l	n capacity well approval, ocation" in red print in
County Barron		Town Stanley		High Capacity V		
Submittal Purpos	6 e					
Check all that app	•		70	W		
		a capacity greater than 70 g				
		a capacity less than 70 gallo			erty.	
<u> </u>		capacity greater than 70 gall			.	
E 100		capacity less than 70 gallons			ty.	
		n a capacity greater than 70			nodu	
		h a capacity less than 70 gal			репу.	
The second secon		ore wells to a rate greater th			roguiro	4 /
		gh capacity wells after a cha	nge in owne	гынр. (тчо аррисацоп тее	require	a. <i>)</i>
(A)	rious approval that ha		nt See defin	nitions on page 5		
<u>(1000)</u> 480 10		or wastewater treatment plar	n. Oce delli	mons on page o.		
Other, explair	l)					

Form 3300-256 (R 7/05)

Site	State	ıs Information
and	the in	e the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers formation supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each owing questions.
YES	NO	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.
	Ø	Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:
	图	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:
	Ø	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.
	K	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YES, list the landfill site ID Number: CD: Landfill location: (Township/Range/Section)
	☆	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:
	×	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:
	×	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:
	Þ	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.
	Þ	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?
	□	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.
	[]	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?
	<u> </u>	Will the well discharge directly to a storage pond?
Ц		Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?
	X	Is a proposed well within 1,200 feet of a quarry?
	X	Is a proposed well located in a floodplain or floodway?
	囚	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?

Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?

I be the property served by a community water system?

Will the well be used as a source of bottled water?

Existing Well Information								
Enter the following information on	all existing w	ells on the	property, if n	nore than fou	ır wells, submit	additional s	heets:	
Well Name Assigned by Well Owner (North Well, etc.):		**************************************						
Well Number Assigned by Owner (001, 002, etc.):								
WI Unique Well Number or NA if no number:	BB733							
Permanent DNR High Capacity Well Number or N/A if none:	2513							
Public Water System ID Number, if Public (if not public, NONE):					The second secon			****
Potable or Non-Potable Use:	non							
Type of Well (Irrigation, Industrial, Residential, etc.):	Irrigation							
Requested Average Water Usage per Day in Gallons:	See attached							
Requested Maximum Water Usage per Day in Gallons:					AA WA A			
Seasonal? (April to October, Year Around, etc.):				PROPERTY AND		TW HIB shakes		
Approved Pumping Capacity if Previously Approved (gpm):								
Current Pump Type & Capacity (gpm):								
Proposed Pump Type & Capacity If Change Requested (gpm):		1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			~~~			
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):					-			
Discharge Location (Building Pressure Tank, Pond, etc.):								
Height of Well Casing Above Ground in Inches:								- 20//
Potential Contaminant Sources and Distance:]							
Well Loc: Quarter Quarter Section	1/4 o	1/4	1/4	of 1/4	1/4 0	f 1/4	1/4	of 1/4
or Government Lot Number								
Section or French Long Lot No.								
Township:	TN	_	TN		TN		TN	
Range (Select E or W):	R	E W	Į R	E_W	/, R	E W	R	\perp E W
Latitude (Degrees and Minutes)	0		0	'	0		0	
Longitude (Degrees and Minutes)	0		0		٥		0	
GPS Map Datum (WGS84, WTM91,etc.)				•				
Include as much of the following inform well construction record is attached, ap	nation as practic oplicant may lea	al for wells t ve the follow	hat do not have ring rows blank	e well construct.	ction records att	ached to the	application, ho	wever if the
Date of Construction:				property of the Atlanta				
Drilled by (Name of Drilling Firm):								
Drilling Method(s) (Rotary, Percussion, Etc.)			,					
WellDepthinFeet:								
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	inches,	feet	inches,	feet	inches,	feet	inches,	feet
Lower Drillhole Diameter in Inches and Depth in Feet:	inches,	feet		feet		feet	inches,	feet
Well Casing Diameter in Inches and DepthinFeet:	inches,	feet	inches,	feet	inches,	feet	inches,	feet
Well Casing Material and Wall Thickness:	_	·						
Annular Space Material Between Casing and Drillhole Wall:			W. C.					
Is There a Well Screen (Y or N) If so, Screen Material?:								-

Well Use

County Barron

Region

Owner 003 1929 ROMSOS, LEE & DAVE 1197 21ST STREET WI 54822 CAMERON

Phone 715 458 4157

Operator 003 1929

High Cap#

ROMSOS, LEE & DAVE 1197 21ST STREET

CAMERON

Well Numbers

WUWN WCR

First Rock is

54822 WI

2513

Phone 715 458 4157

Approved Capacity

Normal Pumpage 720,000GPD Max pumpage 1,440,000GPD

Status APPROVED

or CT 1/4 of the NE 1/4 Govt Lot

Northern Region

LOCATION

Civil Town STANLEY

. Ra. 11 E/W W

Street Mailing City File Location 03 - 1 - 98

MajorBasin Mississippi River

PWS ID

1,000 GPM

Image file **General Well Information**

WUWN GRN BB733

Total Depth ft 123.0 Feet to rock 0.0

Drilled by: ROBERTS IRRIG CO INC

Drill Method: Reverse Rotary Aquifer Sand/Gravel

Multiple Aquifers? N

WaterUse

Approved 03/01/1984

Completed 05/15/1984

3262

Screen Type **Wound Wire**

Co Apprvl #

Seal Material **Native Formations**

98

Additional Geology Information. (Note Diameters are in inches, lengths, thickness & depths are in feet.)

Formation Thickness

Surface Sand 123.0

Surface Clay

Devonian

Silurian

Maquoketa

Sinnippe

Ancell

Prairie du Chien

Cambrian

Precambrian

Upper Drillhole Diameter 30.0

Upper Drillhole Depth-Ft 123.0

Lower Drillhole Diameter

Lower Drillhole Length

More than 2 Drillholes? N

Primary Casing Diameter

Primary Casing Depth 103.0

Liner Casing Diameter 16.0

Liner Casing Length

Liner Casing Depth

Screen Diameter 16.0

Gravel Pack Y

Screened? y

Screen Length 20.0

Sealing Material Depth 93.0

Hours of Yield Test

GPM of Yield Test

Static Water (feet) 31

Pumping Water Level (ft)

Specific Capacity(GPM/Ft)

WGNHS Log No.

								•		•
Proposed Well Information										
Enter the following information on a	II proposed we	lls on the	property, if	more than two v	wells	or alternate cor	structi	on, submit a	dditional sh	eels:
Well Name Assigned by Well Owner (North Well, etc.):										·
Well Number Assigned by Owner (001, 002, etc.):								TOTAL:	. 74	
Well Loc: Quarter Quarter Section or French Long Lot Number		SE 4 of	1/4 of	28 Section		1/4	of	1/4 of	Section	
or Government Lot Number			***************************************	7.70						
Township & Range (Select E or W	n _T 34		11	DEE W	/ w	_т	N	ŧ	F	=
Latitude (Degrees and Minutes)		o	45.40	472			0			,
Longitude (Degrees and Minutes)		0	91.72	2511			0			,
GPS Map Datum (WGS84, WTM91, etc.)	DD						*/***			
Type of Well (Irrigation, Industrial, Residential, etc.):	Irrigati Type:	ion-Rep	lacement	Potable X Non-Potable	le	Туре:			Potat Non-f	ole Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	Rotary									
Anticipated Geological Materials and	Depths that Are	Expected	During Drilli	ing:						
Material and Depth Interval:	Sand & Grav	vel	from	0' to 123	-[— from	0 ' to	_
Material and Depth Interval:		/	from	' to	,			from	' to	-
Material and Depth Interval:			from	' to_	-					_
Material and Depth Interval:			from		+			_ from	' to	_
Material and Depth Interval:				' to	+			_ from	' to	No.
Drillhole Diameter and Anticipated De	pth intervals:		from	' to	1			from	' to	
Diameter and Depth Interval:	16		from 0	_{to} 123				from	1 4	_
Diameter and Depth Interval:			from	' to	,	*****		-	' to	
Diameter and Depth Interval:			from	¹ to	1			_ from	' to	_
Permanent Casing or Liner Diameter	। and Wall Thickn∉	ess at Ant			J			from	' to	_
Diameter and Wall Thickness	16	375		103	_					
at Depth Interval: Diameter and Wall Thickness at Depth Interval:	<u>"diam</u> "diam		<u>" thick</u> " thick	0' tc	<u>,</u>	" d iam		" thick	0' tc	
Permanent Casing or Liner Material		1	HIICK	16		" d iam		" thick	' tc	
Casing Joints (Welded, T and C, etc.)	welded		***************************************		T.	W. W		700A .		
Material and Weight at Depth Interval:		<u>/</u>	lbs/foot	0 ' to			,	lbs/foot	0 ' to	
Material and Weight	-	<u>-</u>			_		1	<u>JOS/IUOL</u>		
at Depth Interval: Screen Material, Slot Size in Inches	- 16" T Galv. (/ 60 1	lbs/f <u>oot</u>	' to	_		1	lbs/foot	<u>' to</u>	*
and Depth Interval or N/A if none:	slot	/	.6 0	123			1	12	P	
Casing to Screen Joint (Welded, T and C, K Packer, etc)	k-packer				İ					
Annular Space Material Including Filte	r Pack Material, I	If Used:			,					
Material and Depth Interval:	Mounded bea	ntonite	1	0 31	,			1	0	
Material and Depth Interval:			7		_,			<u>.</u>	-	
Day in Gallons:	No change							<u></u>		
Proposed Maximum Water Usage Per Day in Gallons:	No change								74.71.2	
	No change			***************************************						
Proposed Pump Type & Capacity (gpm):	No change									
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	No Change			* · · · · · · · · · · · · · · · · · · ·				775.00.111	******	74 A
Discharge Location (Building Pressure Tank, Pond, etc.):	No Change									
Distance and Direction to Nearest Public Utility Well & Well Name: Distance to Other Potential Contaminant Sources:										
Distance to Other Potential Contaminant Sources:										
Leave Blank, for Department use only										

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box	
Paul Roberts	Owner	Agent of the Owner
Signature	Company Roberts Irrigation Company	Date 6/252014
Application submittal. Mail completed ap Section - DG/2, PO Box 7921, Madison V	plication and payment with all required attachments to DNI VI 53707-7921.	R, Private Water Systems

Definitions from Wisconsin Administrative Codes

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]